AUTHOR INDEX

Alton, G. 145 Amochaeva, V.Y. 211 Aso, D. 177

Baker, D.C. 315
Bar-Guilloux, E. 1
Basu, S. 335
BeMiller, J.N. 93, 101
Berger, A. 67
Bernabé, M. 289
Bhattacharyya, T. 335
Bílik, V. 203
Black, T.S. 195
Blanchard, J.S. 45
Bock, K. 87
Brewer, C.F. 45
Brovarskaya, O.S. 275

Chivers, P.T. 9 Cosani, A. 301

Defaye, J. 1 Dietrich, H. 161

Ekhart, C. 67 El Sadek, M.M. 323 El Soccary, N.N. 323 Ermert, P. 113

Focher, B. 301

Giannis, A. 19 Gilson, R.J. 93, 101 Gómez-Miranda, B. 289 Gradnig, G. 67 Gregson, J.M. 129

Hehre, E.J. 45 Horton, D. 231, 249, 261 Huber, R.E. 9

Jiménez-Barbero, J. 289 Jiricek, R. 31 Johnson, S.C. 315 Kashem, M.A. 129, 145 Kiss, L. 195 Knirel, Y.A. 275 Kocharova, N.A. 275 Kochetkov, N.K. 211, 275 Koh, D. 231, 249, 261 Korth, A. 67

Lai, W. 185 Le, N. 87 Leal, J.A. 289 Legler, G. 67, vii Lehmann, J. 1, 31 Lemieux, R.U. 87 Liessem, B. 19

Marsano, E. 301 Martin, O.R. 185 Matsui, H. 45 Matulová, M. 203 Moskalenko, N.V. 275 Muras, V.A. 275 Murata, T. 57 Musser, J.H. C1 Myers, R.W. 93, 101

Nardin, R. 1 Nashed, M.A. C1 Nieger, M. 19 Nifant'ev, N.E. 211, 275 Nikrad, P.V. 145

Ogawa, K. 57 Ogawa, S. 177

Padmaperuma, B. 79 Palcic, M.M. 87 Prieto, A. 289

Rob, B. 31 Robic, D. 1 Rupitz, K. 113

Sandhoff, K. 19 Santoro, M.M. 93, 101 Scheuring, M. 31 Schmidt, R.R. 161 Shashkov, A.S. 211, 275 Sinnott, M.L. 79 Skrydstrup, T. 87 Stütz, A.E. 67

Tagliaferri, F. 315 Takagi, Y. 261 Tanaka, Y. 45 Terbojevich, M. 301 Tull, D. 195

Urbahns, K. 1 Usui, T. 57 Varbanets, L.D. 275 Vasella, A. 113 Venot, A.P. 129, 145

Weber, M. 113 Withers, S.G. 113, 195 Wlasichuk, K.B. 129, 145 Wu, E. 327 Wu, Q. 327

Yabuuchi, Y. 57 Yadav, M.P. 93 Young, J.M. 275

Zagzoug, N.B. 323

SUBJECT INDEX

- Acarviosin, synthesis and inhibitory activity of eight analogues of methyl, containing a 1,6anhydro bridge, 177
- 2-Acetamido-1,4-imino-1,2,4-trideoxy-D-galactitol as competitive inhibitor of the human lysosomal β-hexosaminidase A, 19
- Affinity labels for a β-glycosidase and a cellulase, N-bromoacetyl-glycopyranosylamines as, 195
- Affinity purification and characterisation of invertase from yeast using 2,5-dideoxy-2,5-imino-D-mannitol and -D-glucitol as substrate analogs, 67
- D-Aldopentoses, unprotected, Wittig reaction of with stabilized ylides: metal-ion effects, 231
- D-Allose, D-altrose, D-gulose, and D-idose, NMR studies of molybdate complexes of, 203
- Aminosubstituted α-D-glucosylmethylbenzenes and an N-(C-α-D-glucosylmethyl)aniline, novel α-D-glucosidase inhibitors, 161
- Amylase from Streptomyces griseus, transglycosylation reaction of maltotriose-forming, 57
- Amyloglucosidase substrate recognition as evaluated from its interaction with conformationally biased isomaltosides. 87
- 1,2-Anhydro hexopyranoses, preparation from hexopyranose 2-tosylates by internal displacement, 327
- N-Bromoacetyl-β-D-glucopyranosylamine and N-bromoacetyl-β-cellobiosylamine as affinity labels for a β-glucosidase and a cellulase, 195
- Cell-wall polysaccharides isolated from *Apha*noascus mephitalus and related species, chemical structure and conformational features of, 289
- Chemoenzymic synthesis of analogues of the sialyl Lewis and sialyl tetrasaccharides, 145
- Chemoenzymic synthesis of sialylated and fucosylated oligosaccharides having an N-acetyllactosaminyl core, 129

- Chitosan samples, high-performance gel-permeation chromatography of, 301
- Conformational features of cell-wall polysaccharides isolated from *Alphanoascus mephitalus* and related species, 289
- Conformationally biased isomaltosides as substrate analogs for amyloglucosidase, 87
- 1,3-Diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides as competitive inhibitors for glycoside hydrolases, 31
- Diazomethyl β-D-galactopyranosyl ketone, suicide-substrate inactivation of β-galactosidase, 101
- 2,5-Dideoxy-2,5-imino-D-mannitol and -D-glucitol as glucosidase inhibitors, 67
- 2,5-Dideoxy-2,5-imino-D-mannitol and D-glucitol from 5-azido-5-deoxy-D-glucofuranose and -L-idofuranose, a chemo-enzymic synthesis, 67
- Diels-Alder cycloaddition to unsaturated sugars, stereocontrol in: reactivities of cis dienophiles with cyclopentadiene, 261
- Diels-Alder cycloaddition to unsaturated sugars, stereocontrol in: reactivities of acyclic seven-carbon trans dienophiles derived from aldopentoses, 249
- Fucosylated and sialylated oligosaccharides having an N-acetyllactosaminyl core, chemoenzymic synthesis, 129
- Fucosyltransferase of human milk, use in the chemoenzymic synthesis of analogues of the sialyl Lewis^x and sialyl Lewis^a tetrasaccharides, 145
- (β-D-Galactopyranosylmethyl)amines, N-substituted, as reversible inhibitors of β-D-galactosidase, 93
- β-D-Galactosidase, N-substituted (β-D-galactopyranosylmethyl)amines as reversible inhibitors of, 93

- β-Galactosidase, suicide-substrate inactivation of, by diazomethyl β-D-galactopyranosyl ketone, 101
- β-Galactosidases of Escherichia coli with substitutions for GLU-461 can be activated, by nucleophiles and can form β-D-galactosyl adducts, 9
- Galactosyl adducts, β -galactosidases of *Escherichia coli* with substitutions for GLU-461 can be activated by nucleophiles and can form β -D-, 9
- Gel-permeation chromatography of chitosan samples, high-performance, 301
- D-Glucopyranoside, synthesis of 2,3-di-O-glycosyl derivatives of methyl α - and β -, 211
- β-Glucosidase and cellulase affinity labels, 195
 α-D-Glucosidase inhibitors, aminosubstituted
 α-D-glucosylmethylbenzenes and an N-(C-α-D-glucosylmethyl)aniline as novel, 161
- C-(D-Glycopyranosyl)methylamines, synthesis and inhibition studies of, 185
- Glycosidase catalysis, hydrolysis of α and β -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in, 45
- Glycosidases, hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting, 79
- Glycoside hydrolase inhibition by 1,3-diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides, 31
- Glycosyl derivatives of methyl α- and β-D-glucopyranoside, synthesis of 2,3-di-O-, 211
- Glycosylpyridinium ions, hydrolysis by anomeric-configuration-inverting glycosidases, 79
- Hexopyranose 2-tosylates and their facile conversion into 1,2-anhydro hexopyranoses by internal displacement, 327
- High-performance gel-permeation chromatography of chitosan samples, 301
- Hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting glycosidases, 79
- Hydrolysis of α- and β-p-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in glycosidase catalysis, 45
- Inhibition studies and synthesis of C-(p-glycopyranosyl)methylamines, 185
- Inhibitors of α-D-glucosidase, synthesis of aminosubstituted α-D-glucosylmethylbenzenes and an N-(C-α-D-glucosylmethyl)aniline as, 161
- Inositol 3-(hydrogenphosphate), synthesis of the 3-C-(phosphonomethyl) analogue of 1d-myo-, 315

- β-Lactosides, a facile and regioselective synthesis of partially benzoylated 3,4-O-isopropylidene-, as standardized key intermediates for sialyl Lewis X (sLe^x) analogues, c1
- Lipopolysaccharide, primary structure of the polysaccharide chain of virulent Pseudomonas solanacearum biotype II, 335
- Lipopolysaccharides of Pseudomonas solanacearum, studies of O-specific polysaccharide chains consisting of structurally different repeating units, 275
- Maltotriose-forming amylase from Streptomyces griseus, transglycosylation reaction of, 57
- Metal-ion effects: Wittig reaction of unprotected p-aldopentoses with stabilized ylides, 231
- Methyl acarviosin, synthesis and inhibitory activity of eight analogues containing a 1,6anhydro bridge, 177
- Methyl-5-(p-arabino-tetrahydroxybutyl)-3-furoylhydrazine, reactions of 2-, 323
- Methyl α and β -D-glucopyranoside, synthesis of 2,3-di- Ω -glycosyl derivatives of, 211
- Molybdate complexes of D-allose, D-altrose, Dgulose, and D-idose, NMR studies of, 203
- NMR studies of molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose, 203
- Nojiritetrazoles, a new class of glycosidase inhibitors, 113
- Nojiritetrazoles, selective transition state analogue inhibitors of glycosidases, 113
- (Phosphonomethyl) analogue of 1d-myo-inositol 3-(dihydrogenophosphate), synthesis of the 3-C-, 315
- Plastic" and "conserved" phases in glycosidase catalysis, hydrolysis of α-and β-D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled, 45
- Polysaccharide chain of virulent Pseudomonas solanacearum biotype II lipopolysaccharide, primary structure, 335
- Polysaccharide chains of Pseudomonas solanacearum lipopolysaccharide consisting of structurally different repeating units, studies of O-specific, 275
- Polysaccharides isolated from Aphanoascus mephitalus and related species, chemical structure and conformational features of cell-wall, 289
- Pseudo-disaccharides as potential affinity reagents for trehalase, synthesis and evaluation of diastereoisomeric alkylating, 1

- Pseudomonas solanacearum biotype II lipopolysaccharide, primary structure of the polysaccharide chain of virulent, 335
- Pseudomonas solanacearum lipopolysaccharides, studies of O-specific polysaccharide chains consisting of structurally different repeating units, 275
- Reactions of 2-methyl-5-(p-arabino-tetrahydroxybutyl)-3-furoylhydrazine, 323
- Sialylated and fucosylated oligosaccharides having an N-acetyllactosaminyl core, chemoenzymic synthesis. 129
- Sialyl Lewis X (sLe^x) analogues, a facile and regioselective synthesis of partially benzoylated 3,4-O-isopropylidenated β-lactosides as standardized key intermediates for, c1
- Sialyl Lewis* and sialyl Lewis* tetrasaccharides, use of human milk fucosyltransferase in the chemoenzymic synthesis of analogues, 145
- Substitutions for GLU-461 can be activated by nucleophiles and can form β-D-galactosyl adducts, β-galactosidases of Escherichia coli with. 9
- Sugar moiety of methyl acarviosin, synthesis and inhibitory activity of eight analogues containing a 1,6-anhydro bridge obtained by chemical modification of the 177
- Synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for trehalase, 1

- Synthesis and inhibition studies of C-(D-glycopyranosyl)methylamines, 185
- Synthesis of 2-actamido-1,4-imino-1,2,4-trideoxy-p-galactitol and competitive inhibition of the human lysosomal β-hexosaminidase A,
- Synthesis of the 3-C-(phosphonomethyl) analogue of 1d-myo-inositol 3-(dihydrogeno-phosphate), 315
- 2-Tosylates of hexopyranoses, facile conversion into 1,2-anhydro hexopyranoses by internal displacement, 327
- Transglycosylation reaction of maltotrioseforming amylase from Streptomyces griseus, 57
- Transition state analogue inhibitors of glycosidases, 113
- Trehalase, synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for, 1
- Unsaturated sugars, stereocontrol in Diels-Alder cycloaddition to: reactivities of acyclic seven-carbon trans dienophiles derived from aldopentoses, 249
- Unsaturated sugars, stereocontrol in Diels-Alder cycloaddition to: reactivities of *cis* dienophiles with cyclopentadiene, 261
- Wittig reaction of unprotected D-aldopentoses with stabilized ylides: metal-ion effects, 231